DATE: 8 Dec 00

STATEMENT OF WORK (SOW)

for

Inspection and Repair Only As Necessary (IROAN) of the AN/UPA-60(V)2 Storage Register Assembly

SOW-03-844-2-84148B-2/1

NSN 5998-00-401-2148

- 1. This SOW identifies the work effort that shall be performed by the Contractor to IROAN the AN/UPA-60(V)2 Storage Register Assembly NSN 5998-00-401-2148, part number 101274G1, CAGE 12909.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signers:

LAWRENCE E HERNDON

Weapon Systems Manager Radar Systems Section (Code 844-2) MARCORSYSCOM, Albany, GA

VIRGINIA A WILSON Team Leader Inventory Management Specialist (Code 844-2)

MARCORSYSCOM, Albany, GA

RICHARD E JONES
Team Leader
Equipment Specialist
(Code 844-2)
MARCORSYSCOM, Albany, GA

STATEMENT OF WORK (SOW)
for
Inspection and Repair Only As Necessary (IROAN)

of the AN/UPA-60(V)2 Storage Register Assembly NSN 5998-00-401-2148

- 1.0 Scope. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor to IROAN the AN/UPA-60(V)2 Storage Register Assembly NSN 5998-00-401-2148, part number 101274G1, CAGE 12909. This document contains requirements to restore the Storage Register Assembly to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than 6 months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.

2.1 Military Standards

MIL-STD-2073-ID DOD Standard Practice for Military Packaging

MIL-STD-129 DOD Standard Practice for Military Marking

2.2 Other Government Documents and Publications. The latest issues of those documents cited below shall be used.

101274 Drawing, Storage Register Assembly

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASQC Quality Systems - Model for Quality Assurance in Final Inspection and Test

JESD625-A Requirements for Handling Electrostatic-Discharge

Sensitive (ESDS) Devices

<u>Industry Standards (For Guidance)</u>

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of military standards and specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://dodssp.daps.mil. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, GA 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings shall be obtained from: Life Cycle Management Center, Attn: (Code 851-3), 814 Radford Blvd, Suite 20320, Albany GA 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 Requirements

- 3.1 The Contractor shall repair the Storage Register Assembly strictly in accordance with the requirements as specified in Drawing 101274, CAGE 12909. *The Contractor shall be responsible for developing test requirements*. The Contractor shall be responsible for all parts, materials, labor, facilities, tools, and test equipment necessary to inspect and repair only as necessary the equipment in accordance with this SOW.
- 3.2 Packaging, Handling, Storage and Transportation (PHS&T).
- 3.2.1 The Contractor shall be responsible for preservation and packaging of items to be repaired under the terms of this SOW. Items scheduled for long-term storage or overseas (OCONUS) shipment shall be in accordance with level "A" requirements of MIL-STD-2073-1D, Appendix J, Table J.Ia, Specialized Preservation Code "GX". Items scheduled for immediate use and domestic (CONUS) shipment shall be in accordance with level "B" requirements. All items subject to damage by electrostatic sensitivity shall be packed into a reusable fast-pack container. Level "A" preservation and packaging shall normally be required, due to the anticipated long-term storage requirements. Exceptions (items that have a confirmed immediate use within CONUS) will be identified, in writing, by the Weapon System Manager (WSM), Code 844-2.
- 3.2.2 Marking for shipment shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the predesignated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

- 3.3 <u>Configuration Control</u>. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization of the Weapon System Manager (WSM) (Code 844-2). All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. MIL-HDBK-61 (paragraph 4.2 and Table 4-6) and ANSI/EIA-649 (paragraph 5.3.1) provide guidance for preparing this configuration control document. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 (paragraph 4.3 and Table 4.9) and ANSI/EIA-649 (Paragraph 5.3.4) provide guidance for preparing this configuration control document.
- 3.4 Government Furnished Equipment (GFE) and Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 827-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE/GFM) requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE/GFM Accountability Agreement to the Contractor for signature to establish a chain of custody and identify property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFE/GFM, and report consumption of GFM to the MCA. The MCA, in conjunction with the WSM, reserve the right to deny any requests for GFE/GFM. Under no circumstances shall such denial form a basis for either work stoppages or delays in delivery.
- 3.5 <u>Quality Assurance Provisions</u>. The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems Model for Quality Assurance in Final Inspection and Test
- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>. The Contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- 4.0 Reports. The Contractor shall develop a Test Data Report (TDR), based on test requirements to be developed by the Contractor (in accordance with this SOW), which references this SOW, the NSN, part number, and serial number of the Storage Register Assembly. Upon request, a copy of the TDR shall be submitted electronically (preferred), via regular mail, or facsimile to the WSM. Electronic address is "MbMatcom844-2@matcom.usmc.mil" Mailing address is: Commander, Attn: (Code 844-2), Marine Corps Systems Command, 814 Radford Boulevard, Suite 20343, Albany, GA 31707-0343. Facsimiles may be sent to (229) 639-5498 or DSN 567-5498, attention Weapons System Manager, Code 844-2.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for information Operations and Reports (0701-0188), 1215 Lefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of isw, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please D0 NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contracting D1 information in Block E.

D. SYSTEM/ITEM		B. EXHIBIT		C. CATEGORY:							
		J	E. CONTRACT/PR			CONTRACTOR					
Storage Register Assembly						14					
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE						
A001	Eng	gineering Change Proposal				Configuration Management					
4. AUTHORITY (Data Acquis			5. CONTRACT REFERE		•	6. REQUIRING OFFICE					
DI-CMAN-80639C 7. 00 250 RE0			SOW 3.3			MCLBA (851)					
LT	REQUIRED		ASREQ	See Blk 16		14. Distribution	b. COPIES				
8. APP CODE			TE	13. DATE OF SUBSEQUENT SUBMISSION		a. ADDRESSEE	Draft	nal			
16. REMARKS	A					MC/ DA (051.2)		Reg	Repro		
Blk 4 - Contrac	ctor format is auth	orized ar	nd shall be sub	bmitted in .doc or	.pdf	MCLBA (851-2)	0	<u>1</u>	0		
format.									<u> </u>		
	ECPs shall be suffect the baseline of										
ECPs will be receipt by the	eviewed and dispo Government.	osition de	termined with	nin 30 calendar dag	ys upon						
	transmitted via e-i figmngmnt@matco										
mbmatcomcon.	iigmngmni@matc	om.usmc	.mıl								
Distribution St	atement A: Appr	oved for	public release	, distribution is ur	ılimited.						
							-				
								**			
							-				
								1			
 - 											
							 				
						15. TOTAL	0	1	0		
G. PREPARED BY	7/	1	H. DATE	I. APPROVED I	34		J. DATI	<u> </u>	\dashv		
Lano	o C. C.Vai		12/11/0	2000	E. 1	Hel	15,	Lile			
BD FORM 1423-	1, AUG 96 (EG)		/ / PI	REVIOUS EDITION MAY BE	USED.		Page	af	Pages		

17. PRICE GROUP 18. ESTIMATED TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (07701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwrithstanding any other provision of law, no person shall be subject to any penalty for Tailing to comply with a collection of information if it does not display a currently valid DMB control number. Please D0 NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE	ITEM NO.	B. EXHIBIT	C CATEGOR							
				C. CATEGORY: TOP TM OTHER					[]	
O CVCTC14"TC1"		.l	TOP	TM .	RENTO					
D. SYSTEM/ITEM Storage	Register Assemb		CONTRACT/PR NO.]	F. CONTRA	AC I UK				
DATA ITEM NO.	2. TITLE OF DATA HEM	*J		1.	3. SUBTITLE				——[17. PF
	2. III. VI MAIA HEM				vvb 1444					
A002		Request For	Deviation			Configuration Ma	nageme	nt		
3. AUTHORITY (Data Acqu	isition Document No./		DNTRACT REFERENCE	1		6. REQUIRING OFFICE				18. ES
DI-	CMAN-80640C		SOW 3.	3		MCLBA (851)				
. DD 250 REQ	9. DIST STATEMENT	10. FREQUENCY		12. DATE OF FIRST SUBMISSION	ON	14. DISTRIBUTION				
LT REQUIRED		ASR	=	ee Blk 16	6		b. COPIES			
. APP CODE		11. AS OF DATE	13. DATE OF SUB Submission			a. ADDRESSEE	Draft	nal		
	A A							Reg	Repro	1
6. remarks 31k 4 - Contra	etor format is aut	orized and s	hall be submitted in .	doc or r	odf	MCLBA (851-2)	0	1	0	
ormat.									i <u> </u>	
31ks 10 & 12	- RFDs shall be su	ibmitted to of	btain authorization to	deliver						
onconformin	g meterial which o	loes not meet	btain authorization to the prescribed confi	guration			 		├ <i></i>	
							 			
RFDs will be eccipt by the	reviewed and disp	osition deter	mined within 30 caler	ndar days	upon				- 	
							+			
krus shall be abmatcomeor	transmitted via e- nfigmngmnt@mate	mail to the fo om usme mi	ollowing address:				+	<u>_</u>		
	<i></i>		_							
istribution S	tatement A: Appr	oved for pub	lic release, distribution	on is unli	mited.					
	11	1	,							
							1			
								•		
							I			
									<u> </u>	
							-			
							1			
									<u></u>	
							-			
							+		├ 	
							+-			
							+-			
							1			
							- '			
						-				
							1			
						15. TOTAL	. 0	1	0	
S. PRÉPARED BY	Ora Edu	1	I. DATE I. AP	PROVED BY	E		J. DATI	E	-60	

DD FORM 1423-1, AUG 96 (EG)

PREVIOUS EDITION MAY BE USED.

Page ____ of ____ Pages

DATE: 8 Dec 00

STATEMENT OF WORK (SOW)

for

Inspection and Repair Only As Necessary (IROAN)
of the
AN/UPA-60(V)2
Storage Register Assembly
NSN 5998-00-401-2148

SOW-03-844-2-84148B-2-1

- 1. This SOW identifies the work effort that shall be performed by the Contractor to IROAN the AN/UPA-60(V)2 Storage Register Assembly NSN 5998-00-401-2148, part number 101274G1, CAGE 12909.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signers:

LAWRENCE E HERNDON

Weapon Systems Manager

Radar Systems Section (Code 844-2) MARCORSYSCOM, Albany, GA

VIRGINIA A WILSON

Team Leader

Inventory Management Specialist

(Code 844-2)

MARCORSYSCOM, Albany, GA

RICHARD E JONES

Team Leader

Equipment Specialist

(Code 844-2)

MARCORSYSCOM, Albany, GA